

AMENDMENTS TO THE CLAIMS


The following Listing of Claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claims 1-9 (canceled)

Claim 10 (currently amended): A stain resistant coating composition, which comprises:

from 3 to 80 percent by weight of (F') a modified resin having an
 organosilicate structure part and an acrylic resin structure part that is
 prepared by polymerizing a mixture of polymerizable monomers for
 constructing the acrylic resin structure part in the presence of a non-
 radical polymerizable organosilicate for constructing the organosilicate
 structure part, wherein the mixture of polymerizable monomers for
 constructing the acrylic resin structure part ~~contains both~~ includes (i)
 one or more hydroxyl group-containing radical polymerizable
 monomers, ~~and~~ (ii) one or more epoxy group-containing radical
 polymerizable monomers and (iii) a radical polymerizable monomer
having one or more organic groups represented by the formula (3):



wherein R⁸ is hydrogen atom or an alkyl group having 1 to 4 carbon atoms, R⁹ is an alkyl group having 1 to 4 carbon atoms and y is an integer from 1 to 10, wherein the content of the (i) hydroxyl group-containing radical polymerizable monomers is from 1 to 15 percent by weight of all monomers for constructing the acrylic resin structure part, wherein the content of the (ii) epoxy group-containing radical polymerizable monomers is from 5 to 60 percent by weight of all monomers for constructing the acrylic resin structure part, wherein the content of the (iii) radical polymerizable monomer having one or more organic groups represented by the formula (3) is from 1 to 40 percent by weight of all monomers for constructing the acrylic resin structure part, and wherein the non-radical polymerizable organosilicate is represented by formula (2):



wherein R³ and R⁴ are each hydrogen atom, an alkyl group having 1 to 10 carbon atoms or an aryl group having 1 to 10 carbon atoms and n is 0 or 1, and/or a condensate thereof, and

optionally from 3 to 80 percents by weight of (B) a compound having in the molecule at least one functional group selected from the group consisting of a carboxyl group, a carboxylic acid anhydride group and a carboxyl group blocked with an alkylvinyl ether compound, and from 0.1 to 30 percents by weight of (C) an organosilicate represented by formula (1):



wherein R¹ and R² are each hydrogen atom, an alkyl group having 1 to 10 carbon atoms or an aryl group having 1 to 10 carbon atoms and m is 0 or 1, and/or a condensate thereof.

Claims 11-13 (canceled)

Claim 14 (previously presented): A method of coating which comprises applying a top coating composition comprising a pigment and the stain resistant coating composition as claimed in claim 10 on a coated article, wherein the content of the pigment is in the range from 0 to 200 parts by weight based on 100 parts by weight of all nonvolatile matters of ingredients (F'), (B) and (C).

Claim 15 (previously presented): A method of coating a substrate with a multilayer paint film which comprises applying a colored film forming composition on the substrate to form a base coat, followed by applying a clear film forming composition on the base coat to form a clear top coat, wherein the top coat clear film forming composition alone or both of the top coat clear film forming composition and the colored film forming composition comprises the coating composition as claimed in claim 10.

Claim 16 (previously presented): A method of coating which comprises applying a colored base coating composition on a substrate, followed by applying an under clear coating composition on the uncured base coat, and baking the base coat and the under clear coat, and then applying an over coat clear coating composition

on the under clear coat and baking the over clear coat, wherein the under clear coating composition is selected from the group consisting of an acrylic resin /aminoplast resin coating composition, an acrylic resin /urethane resin hardener coating composition and an acrylic resin /aminoplast resin /urethane resin hardener coating composition, and the over coat clear coating composition comprises the coating composition as claimed in claim 10.

Claim 17 (previously presented): The method of coating as claimed in claim 16, which comprises applying a colored base coating composition on a substrate, followed by applying an under clear coating composition on the uncured base coat, and baking the base coat and the under clear coat, and then applying an over coat clear coating composition on the under clear coat and baking the over clear coat, wherein the under clear coating composition comprises a resin mixture of 40 to 80 percents by weight of (a) a hydroxyl group-containing and epoxy group-containing acrylic resin, 0 to 60 percents by weight of (b) an aminoplast resin and 0 to 60 percents by weight of (c) a urethane resin hardener as main component.

Claim 18 (previously presented): A coated article obtained by the method of coating as claimed in claim 10.

Claim 19 (previously presented): A coated article obtained by the method of coating as claimed in claim 15.

Claim 20 (previously presented): The stain resistant coating composition as claimed in claim 10, wherein the mixture of polymerizable monomers for constructing the acrylic resin structure part further comprises (iii) one or more additional polymerizable monomers selected from the group consisting of methyl acrylate, ethyl acrylate, n-propyl acrylate, isopropyl acrylate, n-butyl acrylate, isobutyl acrylate, sec-butyl acrylate, hexyl acrylate, cyclohexyl acrylate, 2-ethylhexyl acrylate, octyl acrylate, lauryl acrylate, stearyl acrylate, methyl methacrylate, ethyl methacrylate, n-propyl methacrylate, isopropyl methacrylate, n-butyl methacrylate, isobutyl methacrylate, sec-butyl methacrylate, hexyl methacrylate, cyclohexyl methacrylate, 2-ethylhexyl methacrylate, octyl methacrylate, lauryl methacrylate, stearyl methacrylate, styrene, acrylonitrile, methacrylonitrile, acrylamide, methacrylamide, acrylic acid, methacrylic acid, itaconic acid, methaconic acid, maleic acid and fumaric acid.

Claim 21 (previously presented): The stain resistant coating composition as claimed in claim 10, wherein the non-radical polymerizable organosilicate is one selected from the group consisting of tetrahydrosilane, tetramethoxysilane, tetraethoxysilane, tetrapropoxysilane, tetrabutoxysilane, tetraphenoxysilane, dimethoxydiethoxysilane, methyltrimethoxysilane, methyltriethoxysilane, phenyltrimethoxysilane, phenyltriethoxysilane, butyltrimethoxysilane, hexyltrimethoxysilane, decyltrimethoxysilane, ethoxytrimethoxysilane, propoxytrimethoxysilane and butoxytrimethoxysilane, and condensates thereof.